

**OKLAHOMA  
DETERMINATION  
OF  
ASAM  
SERVICE  
LEVEL  
  
ODASL**

**You must address all six dimensions utilizing the information  
obtained during the screening/assessment  
in order to determine the appropriate  
ASAM service level**

**February 2015**

## DIMENSION 1 ACUTE INTOXICATION and/or WITHDRAWAL POTENTIAL

### INTOXICATION *Must consider type of substance(s) used*

1) WHAT RISK IS ASSOCIATED WITH THE CURRENT LEVEL OF INTOXICATION?

---



---



---

**Last Use**

No substance use in the last thirty (30) days	0	
No substance use in the last three (3) days	1	
Substance use in the last three (3) days	2	
Substance use in the last twenty-four (24) hours	3	
Substance use within the past twelve (12) hours	4	_____

*If the rating for question 1) is 0 consider proceeding to Dimension 2*

2) ARE INTOXICATION MANAGEMENT SERVICES NEEDED TO ADDRESS ACUTE INTOXICATION?

---



---



---

No substance use in last thirty (30) days	0	
No indication of current intoxication	1	
Intoxicated but, able to participate in the interview	2	
Intoxicated and not coherent	3	
Intoxicated and unable to function	4	_____

TOTAL OF INTOXICATION SCORES \_\_\_\_\_

### WITHDRAWAL MANAGEMENT (WM)

3) IS THERE SIGNIFICANT RISK OF SEVERE WITHDRAWAL SYMPTOMS, SEIZURES, OR OTHER MEDICAL COMPLICATIONS BASED ON THE CONSUMER'S PREVIOUS WITHDRAWAL HISTORY?

---



---



---

No prior WM episodes and/or related medical issues	0	
No current risk of withdrawal indicated	1	
Minimal risk of withdrawal and/or past history of WM episodes	2	
Immediate need of WM services with medical and/or seizure risk	3	
Need of WM with medical and/or seizure risk and past episodes of withdrawal	4	_____

4) WHAT IS THE AMOUNT, FREQUENCY, CHRONICITY, AND RECENCY OR DISCONTINUATION OR SIGNIFICANT REDUCTION IN SUBSTANCE USE? (PATTERN OF RECENT USE)

---



---



---

No substance use in the last thirty (30) days	0	
Substance use without related problem behavior(s)	1	
Substance use with obvious intoxication but no related problems or issues	2	
Substance use resulting in problematic and/or uncontrolled behavior	3	
Heavy substance use resulting in significant problems and/or complications	4	_____

5) AMOUNT AND FREQUENCY OF SUBSTANCE USE

---



---



---

No substance use or used only one (1) or two (2) times in the last month	0	
Sporadic substance use, less than once weekly	1	
Weekly substance use	2	
Daily substance use	3	
Substance(s) used multiple times daily or multiple substances on a daily basis	4	_____

6) POTENTIATION (INTENSIFYING) EFFECT OF SUBSTANCE(S)

---



---



---

No use of potentiating substances	0	
Sporadic (less than once weekly) use of potentiating substances	1	
Weekly use of potentiating substances	2	
Daily use of potentiating substances	3	
Regular and potentially dangerous amounts of potentiating substance(s)	4	_____

7) ARE THERE CURRENT SIGNS OF WITHDRAWAL?

---



---



---

No substance use in the last thirty (30) days	0	
No indications of withdrawal	1	
Some withdrawal risk or past history of WM episodes	2	
Immediate need of WM services	3	
Immediate need of WM services with multiple past episodes of WM	4	_____
<i>Only answer questions 8 through 11 if the response to questions 7 indicates WM needed</i>		

8) Is ambulatory WM safe to consider for this consumer? No    Yes

---



---



---

9) Are sufficient supports for ambulatory WM present? Yes    No

---



---



---

TOTAL OF WITHDRAWAL MANAGEMENT SCORES \_\_\_\_\_

**DIMENSION 1 ACUTE INTOXICATION**

<b>SCORING</b>	0	_____	(0) No problem
	1-2	_____	(1) Minimal problem
	3-4	_____	(2) Moderate problem
	5-6	_____	(3) Significant problem
	7-8	_____	(4) Severe problem

*For a score of 6 or greater consider the need to implement intoxication management services*

**DIMENSION 1 WITHDRAWAL MANAGEMENT**

SCORING	0	_____	(0) No problem
	1-5	_____	(1) Minimal problem
	6-10	_____	(2) Moderate problem
	11-15	_____	(3) Significant problem
	16-20	_____	(4) Severe problem

*For a score of 10 or greater consider the need to implement withdrawal management services immediately*

**COMMENTS**

---

---

---

---

---

**DIMENSION 2 *BIO-MEDICAL CONDITIONS AND COMPLICATIONS***

1) ARE THERE CURRENT PHYSICAL ILLNESSES OR CONDITIONS, ACUTE OR CHRONIC, OTHER THAN WITHDRAWAL?

---

---

---

*If the rating for question 1) is 0, go to question 4. If YES, continue scoring.*

No illnesses or conditions present and the consumer is functioning well	0	
Any problems are manageable with ability to tolerate pain and discomfort	1	
Some difficulty tolerating pain and/or managing physical problems	2	
Limited ability to tolerate pain and/or physical problems are poorly managed	3	
Incapacitated due to severe medical problems and/or physical conditions	4	_____

2) ARE THERE ACUTE OR CHRONIC CONDITIONS THAT REQUIRE STABILIZATION?

---

---

---

*(ACUTE i.e., infection, bone fracture, injury) (CHRONIC i.e., chronic pain requiring pain management, diabetes, asthma)*

No medical condition(s) are in evidence	0	
Few medical problems are present with mild and managed symptoms	1	
Current or ongoing, non-severe illness, problem(s) or condition(s) are present	2	
Serious or unstable illness, problem(s) or condition(s) exist requiring attention	3	
Severe illness, problems or conditions likely to interfere with treatment present	4	_____

3) IS THERE A COMMUNICABLE DISEASE PRESENT THAT COULD IMPACT THE WELL-BEING OF OTHER CONSUMERS OR STAFF?

---

---

---

*(i.e. HCV, TB, STD, influenza)*

- |   |   |       |
|---|---|-------|
| No infectious disease(s) are present                                    | 0 |       |
| An infectious disease is present but being treated                      | 1 |       |
| An infectious disease is present but treatment has not been initiated   | 2 |       |
| A highly infectious disease is present with bodily fluid infection risk | 3 |       |
| A highly infectious disease is present with airborne infection risk     | 4 | _____ |

4) IS THE CONSUMER PREGANT?

---

---

---

- |  |   |       |
|--|---|-------|
| The consumer is not pregnant                                   | 0 |       |
| The consumer is Pregnant and receiving pre-natal care          | 1 |       |
| The consumer is pregnant but not receiving pre-natal care      | 2 |       |
| The consumer is pregnant and experiencing complications        | 3 |       |
| The consumer is pregnant and experiencing severe complications | 4 | _____ |

5) WHAT IS THE PREGNANCY HISTORY FOR THIS CONSUMER?

---

---

---

- |   |   |       |
|---|---|-------|
| There have been no prior pregnancies  | 0 |       |
| There have been prior pregnancies with no difficulty                        | 1 |       |
| The consumer has experienced a prior miscarriage                            | 2 |       |
| Live birth with complications   | 3 |       |
| There have been multiple live births with complications and/or miscarriages | 4 | _____ |

6) HAS THE CONSUMER BEEN PRESCRIBED ANY KIND OF MEDICATIONS?

---

---

---

- |   |   |       |
|---|---|-------|
| There is no medication need indicated                   | 0 |       |
| The consumer is taking meds as prescribed               | 1 |       |
| The consumer is mostly compliant with medication(s)     | 2 |       |
| The consumer is mostly non-compliant with medication(s) | 3 |       |
| The consumer is non-compliant regarding medication(s)   | 4 | _____ |

7) DOES THE CONSUMER USE NICOTINE PRODUCTS?

---



---



---

No nicotine products used	0	
Nicotine products are used weekly or less often	1	
Nicotine is used less than once daily or no more than once per day	2	
Nicotine is used several times daily	3	
Nicotine is used several times daily often one of the first actions of the day	4	_____
	<b>TOTAL</b>	_____

**DIMENSION 2 BIO-MEDICAL CONDITIONS AND COMPLICATIONS**

SCORING	0-1	_____	(0) No problem
	2-6	_____	(1) Minimal problem
	7-12	_____	(2) Moderate problem
	13-18	_____	(3) Significant problem
	19-24	_____	(4) Severe problem

**COMMENTS for DIMENSION 2**

---



---



---



---



---



---

**DIMENSION 3 *EMOTIONAL, BEHAVIORAL, or COGNITIVE CONDITIONS and COMPLICATIONS***

1) ARE THERE CURRENT PSYCHIATRIC ILLNESSES OR PSYCHOLOGICAL, BEHAVIORAL, EMOTIONAL, OR COGNITIVE CONDITIONS THAT NEED TO BE ADDRESSED BECAUSE THEY CREATE RISK OR COMPLICATE TREATMENT?

---



---



---

No emo/beh/cog condition(s) negatively impacting treatment exist	0	
Managed emo/beh/cog condition(s) not impacting treatment exist	1	
Emo/beh/cog condition(s) exist that may impact treatment	2	
Emo/beh/cog condition(s) negatively impacting treatment exist	3	
Emo/beh/cog condition(s) that will severely impact treatment exist	4	_____

2) ARE THERE CHRONIC CONDITIONS THAT REQUIRE STABILIZATION OR TREATMENT?

---

---

---

*(i.e. bipolar disorder or chronic anxiety)*

- No chronic emo/beh/cog condition(s) are present or in the history 0
- Chronic but managed and stabilized emo/beh/cog condition(s) exist 1
- Chronic emo/beh/cog condition(s) with some need of stabilization exist 2
- Chronic emo/beh/cog condition(s) needing significant stabilization exist 3
- Emo/beh/cog condition(s) that will severely impact treatment exist 4 \_\_\_\_\_

3) DO ANY EMOTIONAL, BEHAVIORAL OR COGNITIVE CONDITIONS APPEAR TO BE PART OF THE ADDICTIVE DISORDER, OR DO THEY APPEAR TO BE AUTONOMOUS?

---

---

---

- No exacerbating emo/beh/cog condition(s) are present 0
- Minimal and managed related emo/beh/cog condition(s) exist 1
- Related emo/beh/cog condition(s) requiring attention exist 2
- Related problems and/or conditions requiring significant attention exist 3
- Related problems and/or conditions severely impacting treatment exist 4 \_\_\_\_\_

**RISK DOMAINS**

4) IS THE CONSUMER AT RISK FOR SELF-HARM?

---

---

---

- There is no apparent risk of self-harm 0
- The risk of self-harm is present but minimal 1
- There is risk of self-harm needing to be addressed 2
- The risk of self-harm will need to be addressed in treatment 3
- Risk of self-harm is high and must be addressed prior to tx 4 \_\_\_\_\_

5) IS THE CONSUMER AT RISK TO HARM OTHERS?

---

---

---

- There is no apparent risk of harm to others 0
- The risk of harm to others is present but minimal 1
- The risk of harming others needs to be addressed 2
- The risk of harming others needs to be addressed in tx 3
- Risk of harm to others high and must be addressed prior to tx 4 \_\_\_\_\_

6) HOW IMPULSIVE IS THE CONSUMER?

---

---

---

- The consumer is not impulsive 0
- The consumer is somewhat impulsive but manages to delay response 1
- The consumer is impulsive and minimally able to delay response 2
- The consumer is highly impulsive and minimally able to delay response 3
- Highly impulsive with limited or no ability to filter responses 4 \_\_\_\_\_

7) EVEN IF CONNECTED TO THE ADDICTION AND SUB-DIAGNOSTIC, ARE ANY EMOTIONAL, BEHAVIORAL OR COGNITIVE SIGNS OR SYMPTOMS SEVERE ENOUGH TO WARRANT SPECIFIC MENTAL HEALTH TREATMENT?

---

---

---

*(i.e. suicidal ideation and depression due to a "methamphetamine crash")*

- No symptoms are present 0
- Minimal symptoms present that are well managed 1
- Symptoms present that could negatively affect treatment 2
- Significant symptoms with negative effect to treatment exist 3
- Severe symptom set exists that must be addressed prior to treatment 4 \_\_\_\_\_

8) IS THE CONSUMER ABLE TO MANAGE THE ACTIVITIES OF DAILY LIVING?

---

---

---

*(i.e. grooming, nutrition or shelter)*

- Manages the activities of daily living well 0
- Manages the activities with occasional assistance 1
- Some ability to cope with daily activities but requires assistance 2
- Inadequate ability to manage daily living and requires assistance 3
- Needs services to manage the basic activities of daily living 4 \_\_\_\_\_

9) IS THE CONSUMER ABLE TO COPE WITH ANY EMOTIONAL, BEHAVIORAL OR COGNITIVE CONDITIONS?

---

---

---

- No conditions are present 0
- Any conditions are minimal and well managed 1
- Some conditions exist with difficulty in managing symptoms 2
- Serious difficulty coping with existing symptoms 3
- Critical impairments in coping with symptoms 4 \_\_\_\_\_



**10) WHAT IS THE LIKELY OUTCOME OF THE CURRENT RESPONSE TO TREATMENT?**

---



---



---

*(i.e. probable course of illness)*

No difficulty focusing on treatment	0	
Any distractibility connected with treatment is manageable	1	
Moderately distractible creating minimal problems in treatment	2	
Short attention and very distractible toward treatment	3	
Unable to stay focused on treatment	4	_____
	<b>TOTAL</b>	_____

**DIMENSION 3 EMOTIONAL/ BEHAVIORAL/COGNITIVE CONDITIONS AND COMPLICATIONS**

SCORING

0	_____	(0) No problem
1-10	_____	(1) Minimal problem
11-20	_____	(2) Problem
21-30	_____	(3) Significant problem
31-40	_____	(4) Severe problem

COMMENTS

---



---



---



---



---



---

**DIMENSION 4 *READINESS to CHANGE***

**1) HOW AWARE IS THE CONSUMER OF THE RELATIONSHIP BETWEEN SUBSTANCE USE OR BEHAVIORS INVOLVED IN THE PATHOLOGICAL PURSUIT OF REWARD OR RELIEF AND HIS OR HER NEGATIVE LIFE CONSEQUENCES?**

---



---



---

Very aware and regularly self-initiating change	0	
Willing to enter treatment but somewhat ambivalent	1	
Reluctant to agree to enter treatment for a substance use disorder	2	
Inconsistent with treatment and/or minimal awareness of SUD	3	
Does not follow through with treatment, minimal awareness of SUD	4	_____

**2) HOW READY, WILLING OR ABLE IS THE CONSUMER TO MAKE CHANGES TO SUBSTANCE USING OR ADDICTIVE BEHAVIORS?**

---

---

---

- Willing to engage in treatment 0
- Willing to change but, unaware or unrealistic as to difficulty of task 1
- Low readiness to change, passive and compliant in treatment 2
- Unwilling or only partially follows through with treatment 3
- Unwilling to explore need to change and rejects treatment 4 \_\_\_\_\_

**3) HOW MUCH DOES THE CONSUMER FEEL IN CONTROL OF HIS OR HER TREATMENT SERVICE?**

---

---

---

- Consumer perceives personal control of treatment 0
- Consumer perceives significant personal control of treatment 1
- Consumer perceives there is some personal control of treatment 2
- Consumer perceives minimal personal control of treatment 3
- Consumer perceives there is no personal control of treatment 4 \_\_\_\_\_

**4) HOW AWARE IS THE CONSUMER OF THE RELATIONSHIP BETWEEN HIS OR HER EMOTIONAL, BEHAVIORAL OR COGNITIVE CONDITION(S) AFFECTING THE SUBSTANCE USE DISORDER AND CREATING NEGATIVE LIFE CONSEQUENCES?**

---

---

---

- Very aware and self-initiating change 0
- Willing to enter treatment but somewhat ambivalent 1
- Reluctant to agree to treatment for a mental health condition 2
- Inconsistent with treatment and/or minimal awareness of MH condition 3
- Does not follow through with tx, minimal awareness of MH condition 4 \_\_\_\_\_

**5) HOW AWARE IS THE CONSUMER OF ADDITIONAL SECONDARY PROBLEMS AND CONDITIONS THAT MUST BE ADDRESSED?**

---

---

---

- Very aware and self-initiating change 0
- Willing to address other issues but somewhat ambivalent 1
- Reluctant to agree to address additional issues 2
- Inconsistent in addressing other issues with minimal awareness 3
- Does not follow through, little or no awareness of other issues 4 \_\_\_\_\_

6) IS THE CONSUMER AWARE OF, AND WILLING TO ADDRESS A SECONDARY PROBLEM OR CONDITION BUT NOT THE SUBSTANCE USE DISORDER OR THE EMOTIONAL, BEHAVIORAL OR COGNITIVE DISORDER?

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

*(i.e., court, employment, etc.)*

No secondary issues or fully stabilized secondary issues	0	
High awareness of and some commitment to secondary issues	1	
Some awareness of and commitment to addressing secondary issues	2	
Minimal awareness of and no commitment addressing secondary issues	3	
No awareness of, or wiliness to address secondary issues	4	_____
	TOTAL	_____

**DIMENSION 4**

**READINESS to CHANGE**

SCORING

0	_____	(0) No problem
1-6	_____	(1) Minimal problem
7-12	_____	(2) Problem
13-18	_____	(3) Significant problem
19-24	_____	(4) Severe problem

**MASTER PROBLEM LIST**

*Enter top three identified areas to be addressed and rank in order and stage of change*

Primary \_\_\_\_\_  
 Pre-contemplation \_\_\_\_\_ Contemplation \_\_\_\_\_ Preparation \_\_\_\_\_ Action \_\_\_\_\_ Maintenance \_\_\_\_\_

Secondary \_\_\_\_\_  
 Pre-contemplation \_\_\_\_\_ Contemplation \_\_\_\_\_ Preparation \_\_\_\_\_ Action \_\_\_\_\_ Maintenance \_\_\_\_\_

Tertiary \_\_\_\_\_  
 Pre-contemplation \_\_\_\_\_ Contemplation \_\_\_\_\_ Preparation \_\_\_\_\_ Action \_\_\_\_\_ Maintenance \_\_\_\_\_

**COMMENTS**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

***DIMENSION 5 RELAPSE, CONTINUED USE, or CONTINUED PROBLEM POTENTIAL***

- 1) IS THE CONSUMER IN IMMEDIATE DANGER OF CONTINUED SEVERE MENTAL HEALTH DISTRESS AND/OR SUBSTANCE USE?

---



---



---

No risk of continued distress or substance use	0	
Any issues related to urges to use and/or distress are well managed	1	
Some issues with risk as to the ability to address distress/cravings	2	
At risk with little ability to address distress/cravings	3	
At risk with no ability to address distress and or continuing substance use	4	_____

- 2) DOES THE CONSUMER HAVE ANY RECOGNITION OF UNDERSTANDING OF, OR SKILLS IN COPING WITH, HIS/HER ADDICTIVE OR CO-OCCURRING MENTAL HEALTH DISORDER IN ORDER TO PREVENT RELAPSE, CONTINUED USE, OR CONTINUED PROBLEMS SUCH AS SUICIDAL BEHAVIOR?

---



---



---

Understanding and adequate tools in place	0	
Some understanding of issues and tools exist for successful coping	1	
Lack of understanding of issues and/or adequate tool to cope	2	
No understanding of exacerbating issues and limited tools to cope	3	
Lack of recognition of exacerbating issues and/or no tools to cope	4	_____

- 3) HAVE ADDICTION AND/OR PSYCHOTROPIC MEDICATIONS ASSISTED IN RECOVERY BEFORE?

---



---



---

Medications have not been indicated in the past	0	
Past medication use successful in assisting recovery	1	
Medication use successful in assisting recovery on multiple occasions	2	
Medication indicated in the past but, medications not taken	3	
Past medication use unsuccessful in assisting with recovery efforts	4	_____

- 4) WHAT ARE THE CONSUMER'S SKILLS IN COPING WITH PROTRACTED WITHDRAWAL, CRAVINGS, OR IMPULSES?

---



---



---

No issues present or a full set of successful coping skills is in place	0	
An adequate set of successful coping skills are regularly utilized	1	
Functional in early recovery but, some coping skills are lacking	2	
Inadequate skill set for early recovery, major problems with stability	3	
Unable to cope with withdrawal, craving(s), or impulse(s)	4	_____

5) HOW WELL CAN CONSUMER COPE WITH NEGATIVE EFFECTS, PEER PRESSURE, AND STRESS WITHOUT RECURRENCE OF ADDICTIVE THINKING AND BEHAVIOR?

---

---

---

- No problems related to coping with stressors 0
- Fully able to cope with stressors and/or stressors are minimal 1
- Usually able to cope with stressors can return to relapse thinking 2
- Usually unable to cope with stressors, often returns to relapse thinking 3
- Completely unable to cope with stressors, usually in relapse thinking 4 \_\_\_\_\_

6) HOW SEVERE ARE THE PROBLEMS AND FURTHER DISTRESS THAT MAY CONTINUE OR REAPPEAR IF THE CONSUMER IS NOT SUCCESSFULLY ENGAGED IN TREATMENT AND CONTINUES TO USE, OR HAVE MENTAL HEALTH DIFFICULTIES?

---

---

---

- No Problems or distress present for this consumer 0
- Problem severity and risk low, successfully engaged in treatment 1
- Problem reappear at times, risk moderate but, generally under control 2
- Problem severity and risk high, consumer not engaged in treatment 3
- Problem severity and risk high and unmanageable 4 \_\_\_\_\_

7) HOW AWARE IS THE CONSUMER OF RELAPSE TRIGGERS AND SKILLS TO CONTROL ADDICTION IMPULSES OR IMPULSES TO HARM SELF OR OTHERS?

---

---

---

- High awareness, low relapse risk and good coping skills in place 0
- High awareness, low risk, fair level of relapse prevention/coping skills 1
- Impaired recognition/understanding of relapse issues and some problems however, with prompting, self-management possible and occurs 2
- Very few coping skills to interrupt addiction or to limit relapse exist 3
- No coping skills to interrupt addiction or prevent, limit relapse exist 4 \_\_\_\_\_

8) WHAT IS THE CONSUMERS LOCUS OF CONTROL AND LEVEL OF SELF-EFFICACY?

---

---

---

- Strong internal locus of control and high self-efficacy in place 0
- Adequate internal locus of control, high self-efficacy, with minimal issues 1
- Minimal awareness of internal locus of control & low self-efficacy 2
- Perceived external locus of control and low self-efficacy 3
- Compromised locus of control and very low self-efficacy 4 \_\_\_\_\_

**9) WHAT IS THE CONSUMERS EXPERIENCE WITH CRAVINGS AND URGES TO USE?**

---



---



---

No cravings or urges to use present for some time	0	
Infrequent and manageable cravings or urges to use	1	
Intermittent cravings and urges to use, usually manageable	2	
Frequent cravings and urges to use, usually unmanageable	3	
Constant and unmanageable cravings and urges to use	4	___

**10) WHAT IS THE CONSUMERS RECOVERY ENVIRONMENT?**

---



---



---

Strong, supportive overall recovery environment promoting success	0	
Adequate, supportive overall recovery environment	1	
Some issues related to parts of the recovery environment	2	
Major issues and problems with the recovery environment	3	
The environment is completely inadequate for recovery	4	___

**TOTAL**      \_\_\_

**DIMENSION 5      RELAPSE, CONTINUED USE or CONTINUED PROBLEM POTENTIAL**

<b>SCORING</b>	0	___	(0) No problem
	1-9	___	(1) Minimal problem
	10-17	___	(2) Problem
	18-27	___	(3) Significant problem
	28-40	___	(4) Severe problem

**COMMENTS**

---



---



---



---



---



---

## **DIMENSION 6 RECOVERY/LIVING ENVIRONMENT**

- 1) DO ANY FAMILY MEMBERS, SIGNIFICANT OTHERS, LIVING SITUATIONS OR SCHOOL OR WORK SITUATIONS POSE A THREAT TO THE CONSUMER'S SAFETY OR ENGAGEMENT IN TREATMENT?**

---



---



---

<b>The environment is highly supportive with good supports in place</b>	<b>0</b>	
<b>Environment offers passive supports and consumer is successful</b>	<b>1</b>	
<b>Environment is not supportive of recovery but, with structure and support, the consumer is generally able to cope</b>	<b>2</b>	
<b>Environment not supportive of recovery, coping difficult with structure</b>	<b>3</b>	
<b>Consumer is unable to cope with a negative, non-supportive Environment, toxic to recovery</b>	<b>4</b>	___

- 2) DOES THE CONSUMER HAVE SUPPORTIVE FRIENDSHIPS THAT CAN INCREASE RECOVERY?**

---



---



---

<b>Multiple supportive friendships, highly supportive of recovery exist</b>	<b>0</b>	
<b>Some supportive friendships exist that enhance recovery efforts</b>	<b>1</b>	
<b>Friends only partially support recovery, consumer usually manages</b>	<b>2</b>	
<b>No support of recovery efforts by friends</b>	<b>3</b>	
<b>Friends actively oppositional to recovery efforts</b>	<b>4</b>	___

- 3) DOES THE CONSUMER HAVE FINANCIAL RESOURCES THAT CAN INCREASE RECOVERY?**

---



---



---

<b>Significant financial resources exist to support recovery efforts</b>	<b>0</b>	
<b>Financial resources to support recovery with some difficulty</b>	<b>1</b>	
<b>Financial resources limited or only partially support recovery efforts</b>	<b>2</b>	
<b>Financial resources insufficient to support recovery efforts</b>	<b>3</b>	
<b>Financial problems are an impediment to recovery efforts</b>	<b>4</b>	___

- 4) DOES THE CONSUMER HAVE EDUCATIONAL OR VOCATIONAL RESOURCES THAT INCREASE RECOVERY?**

---



---



---

<b>Significant Voc/Ed resources fully supportive of recovery exist</b>	<b>0</b>	
<b>Some Voc/Ed resources exist that are supportive of recovery</b>	<b>1</b>	
<b>Voc/Ed resources can only partially support recovery efforts</b>	<b>2</b>	
<b>Voc/Ed resources to support recovery do not exist</b>	<b>3</b>	
<b>Voc/Ed problems and limitations are an impediment to recovery</b>	<b>4</b>	___

5) ARE THERE LEGAL, VOCATIONAL, REGULATORY (i.e. PROFESSIONAL LICENSURE) OR CRIMINAL JUSTICE MANDATES THAT MAY ENHANCE THE CONSUMER'S MOTIVATION FOR ENGAGEMENT IN TREATMENT IF INDICATED?

---



---



---

- Leg/Reg/Voc/CJ issues exist that are highly supportive of recovery 0
- Leg/Reg/Voc issues exist that generally support recovery 1
- Minimal or no Leg/Reg/Voc issues exist supportive of recovery 2
- Some Leg/Reg/Voc issues exist that discourage or inhibit of recovery 3
- Legal/Reg/Voc issues exist that interfere with recovery efforts 4 \_\_\_\_\_

6) ARE THERE SOCIAL SERVICE AGENCY MANDATES THAT MAY ENHANCE THE CONSUMER'S MOTIVATION FOR ENGAGEMENT IN TREATMENT IF INDICATED?

---



---



---

- Significant social service mandates exist that highly encourage and support recovery 0
- Some social service mandates exist that encourage and support recovery 1
- Minimal or no social service mandates exist that could encourage or be supportive of recovery 2
- Social service mandates exist that discourage or inhibit of recovery 3
- Social service mandates exist that will actively interfere with recovery 4 \_\_\_\_\_

7) ARE THERE TRANSPORTATION ISSUES THAT NEED TO BE ADDRESSED?

---



---



---

- Significant transportation exists to support recovery 0
- Transportation to support recovery is usually available 1
- Transportation to support recovery is sometimes available 2
- Transportation is not available to support recovery 3
- Transportation is not available and distances are prohibitive 4 \_\_\_\_\_

8) ARE THERE CHILD CARE ISSUES THAT NEED TO BE ADDRESSED?

---



---



---

- Child care is fully accessible with no issues or problems 0
- Child care is usually accessible with minimal issues or problems 1
- Child care is usually not accessible with some issues and problems 2
- Child care is not accessible and there are significant problems 3
- Child care is not accessible and/or the child is at risk 4 \_\_\_\_\_



9) ARE THERE HOUSING ISSUES THAT NEED TO BE ADDRESSED?

---



---



---

Adequate housing exists, supportive of recovery	0	
Housing exists that is generally supportive of recovery	1	
Housing available but, not generally supportive of recovery	2	
Adequate housing is not available that supports recovery	3	
Adequate housing options do not currently exist	4	___

10) ARE THERE EMPLOYMENT ISUSES THAT NEED TO BE ADDRESSED?

---



---



---

Employment exists that is supportive of recovery	0	
Employment exists that is generally supportive of recovery	1	
Employment offers some supports and does not hinder recovery	2	
Current employment interferes with recovery efforts	3	
Employment problems are sabotaging recovery efforts	4	___

TOTAL \_\_\_

**DIMENSION 6**  
SCORING

**RECOVERY/LIVING ENVIRONMENT**

0	___	(0) No problem
1-10	___	(1) Minimal problem
11-20	___	(2) Problem
21-30	___	(3) Significant problem
31-40	___	(4) Severe problem

**COMMENTS**

---



---



---



---



---



---